

# GlobalesePreTranslation

<b>Category</b>	Task import
<b>Purpose</b>	Provides the usage of 'Globalese' MT system in translate5
<b>Bootstrap Class</b>	editor_Plugins_GlobalesePreTranslation_Init
<b>Type</b>	Core plug-in (delivered with translate5 core)

## Description

When creating a translate5 task, additional window wizard is provided where Globalese API specific parameters need to be selected(username and API key for authentication with 'Globalese' and engine used for segment pretranslation ). The imported file/files will be converted to 'Globalese' specific file format and send to 'Globalese' for translation. When the files translation is done, the files will be downloaded and imported in translate5. For more info about the API see here: [Plug-In GlobalesePreTranslation: Globalese](#)

## Configuration of the GlobalesePreTranslation Plug-In

Config name	Type	Default value	Description
runtimeOptions.plugins.GlobalesePreTranslation.api.username	string		Username for Globalese API authentication
runtimeOptions.plugins.GlobalesePreTranslation.api.apiKey	string		Api key for Globalese authentication
runtimeOptions.plugins.GlobalesePreTranslation.api.url	string		Url used for Globalese api
runtimeOptions.worker.editor_Plugins_GlobalesePreTranslation_Worker.maxParallelWorkers	integer	1	Max parallel running workers of the Globalese pre-translation worker