

Pitfalls on other Linux Systems

AppArmor

If AppArmor is running, and mysql or apache2 data directories are other as the default, this must be changed in the apparmor config too.

See <https://askubuntu.com/questions/916009/mysql-wont-start-because-of-apparmor>

SELinux enabled

The `sestatus` command provides a configurable view into the status of SELinux. The simplest form of this command shows the following information:

```
[root@localhost ~]# sestatus
SELinux status:                enabled
SELinuxfs mount:              /selinux
Current mode:                  enforcing
Mode from config file:        enforcing
Policy version:                21
Policy from config file:      targeted
```

If SELinux is enabled, the corresponding ACL labels has to be added to the translate5 writeable files/directories.

We assume the installation in `/var/www/html` and the DocumentRoot in `/var/www/html/public`.

```
chcon -R -t httpd_sys_rw_content_t /var/www/html/data
chmod -R o+w /var/www/html/data

chcon -R -t httpd_sys_rw_content_t /var/www/html/public/modules/editor/images/imageTags
chmod -R o+w /var/www/html/public/modules/editor/images/imageTags
```

The existing imageTags should also be writeable, since updates will perhaps manipulate the already existing images in the future.

To check for valid ACL context do the following (if `httpd_sys_content_rw_r` is invalid):

```
semanage fcontext -l | grep http
```

Since **chcon changes are only temporarily** (the previous values are restored with `restorecon`) the above changes made with `chcon` should be added to the definition list in

```
/etc/selinux/targeted/contexts/files/file_contexts
```

It is possible that the writeable folders needed for translate5 will change in future!

PHP Log

If no errors are logged in the configured PHP Log file, the reason is probably the same as above, so call also `chcon` on the php log file and add it to the persistent `file_contexts` list.

Using .htaccess is not configured

If only `index.php` is working, but for example `/login` gives an 404 error, check the apache config if using `.htaccess` files is enabled.

In the `httpd.conf` there should be something like that:

```
<Directory "/var/www/html/public">
    Options Indexes FollowSymLinks

    AllowOverride All

    Require all granted
</Directory>
```

Ensure that **AllowOverride** is **All** and not **None**!